	Application No.	Applicant(s)
Notice of Allowability	09/757,446	ZHENG ET AL.
	Examiner	Art Unit
	Christopher R. Magee	2653
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in to or other appropriate communicements. This application is su	his application. If not included ication will be mailed in due course. THIS
1. This communication is responsive to <u>9/7/04</u> .		
2. The allowed claim(s) is/are 1,3-13 and 20 (renumbered 1-	<u>13)</u> .	
3. The drawings filed on are accepted by the Examine	r.	
 Acknowledgment is made of a claim for foreign priority ur a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	be been received. been received in Application	No
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		reply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent application (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the second process.	son's Patent Drawing Review . s Amendment / Comment or in .84(c)) should be written on the	n the Office action of drawings in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. Notice of References Cited (PTO-892)	5. Notice of Info	rmal Patent Application (PTO-152)
2. \square Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Sur	nmary (PTO-413), ail Date
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		mendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's S	tatement of Reasons for Allowance
of Biological Material	9. 🗌 Other	

Application/Control Number: 09/757,446

Art Unit: 2653

DETAILED ACTION

Response to Amendment

1. The reply filed 9/7/2004 was applied to the following effect: All relevant objections and rejections are withdrawn as being satisfied. Claims 2 and 14-19 are cancelled.

Reasons for Allowance

2. Claims 1, 3-13 and 20 are allowed (renumbered as 1-13 respectively).

The following is an examiner's statement of reasons for allowance:

This application is for a DISC HEAD SLIDER HAVING VERTICALLY CONTOURED FEATURES AND METHOD OF FABRICATING VERTICALLY CONTOURED FEATURES ON A SLIDER.

• Claim 1 specifies a method of contouring a surface of a slider which requires:

"wherein the mask pattern comprises a masked portion having a first optical density, an unmasked portion having a second optical density that is lower than the first optical density and an intermediate portion positioned between the masked and unmasked portions and having a third optical density that is between the first and second optical densities"

Brand et al. (hereinafter Brand) (US 5,853,959) does not teach or suggest the wherein the mask pattern comprises a masked portion having a first optical density, an unmasked portion having a second optical density that is lower than the first optical density and an intermediate portion positioned between the masked and unmasked portions and having a third optical density that is between the first and second optical densities as claimed by the present invention.

Therefore, these features, in combination with other features of claim 1, are not anticipated by, nor made obvious over, the closest prior art of record of Brand '959.

Application/Control Number: 09/757,446

Art Unit: 2653

• Claim 20 specifies a slider fabrication apparatus which requires:

"wherein the lithographic mask means comprises a mask pattern comprises a masked portion having a first optical density, an unmasked portion having a second optical density that is lower than the first optical density and an intermediate portion positioned between the masked and unmasked portions and having a third optical density that is between the first and second optical densities"

Page 3

Brand et al. (hereinafter Brand) (US 5,853,959) does not teach or suggest the wherein the mask pattern comprises a masked portion having a first optical density, an unmasked portion having a second optical density that is lower than the first optical density and an intermediate portion positioned between the masked and unmasked portions and having a third optical density that is between the first and second optical densities as claimed by the present invention.

Therefore, these features, in combination with other features of claim 20, are not anticipated by, nor made obvious over, the closest prior art of record of Brand '959.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/757,446

Art Unit: 2653

Conclusion

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Christopher R. Magee whose telephone number is (703) 605-

4256. The examiner can normally be reached on M-F, 8: 00 am-5: 30 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, William Korzuch can be reached on (703) 305-6137. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

November 29, 2004

hristopher R. Magee

Patent Examiner

Art Unit 2653

GEORGE J. LETSCHER PRIMARY EXAMINER

Page 4